

**Project Proposal For A New INCITS Standard
Fibre Channel - BaseT**

(FC-BaseT)

T11/05-183v4

1 Source of the Proposed Project

1.1 Title

Fibre Channel - BaseT (FC-BaseT).

1.2 Date

11 August 2005.

1.3 Proposer(s)

INCITS TC T11, with a current membership of 54.

2 Process Description for Proposed Project

2.1 Project Type (Development or Revision)

Type D (Development done within INCITS TC T11).

2.2 Type of Document

Standard.

2.3 Definition of Concepts and Special Terms

None.

2.4 Expected Relationship with Approved Reference Models, Frameworks, Architectures, etc.

All Fibre Channel standards are intended for use in closed systems.

2.5 Recommended INCITS Development Technical Committee (Existing or New)

It is recommended that this project be assigned to TC T11, in order that the project be coordinated with work on other Fibre Channel standards.

2.6 Anticipated Frequency and Duration of Meetings

This project will make use of the regularly-scheduled bimonthly T11 plenary meetings. Informal Working Groups will be organized on an ad-hoc basis.

2.7 Target Date for Initial Public Review (Milestone 4)

June 2006.

2.8 Estimated Useful Life of Standard or Technical Report

It is anticipated that this standard will have a useful life of over 10 years.

3 Business Case for Developing the Proposed Standard or Technical Report

3.1 Description

This project proposal recommends the development of a new physical level usable by the FC protocol transport level and the command sets above it. This new specification is intended to use the connectors and cabling referenced by the IEEE Std 802.3-2005 (Ethernet). Included within the scope of this project are the following items:

- a) Maintain a high degree of compatibility with and define necessary changes to the requirements specified in the current FC-FS and FC-AL-2 standards;
- b) Ensure no damage to existing and currently proposed RJ45 environments and devices (IEEE 802.3-2005 and IEEE 1394);
- c) Be compatible with the CISPR/FCC Class A regulations;
- d) Definition of FC operations for 1 Gb/s and 2 Gb/s over Category 5e or better cabling as specified in ANSI/TIA/EIA-568-B (or Class D or better cabling as specified in ISO/IEC 11801:2002);
- e) Definition of FC operations for 4 Gb/s over Category 6 or better cabling as specified in ANSI/TIA/EIA-568-B.2-1 (or Class E or better cabling as specified in ISO/IEC 11801:2002);
- f) As deemed necessary, definition of FC operations for additional FC speeds over Category 6A or better cabling as to be specified in ANSI/TIA/EIA-568-B.2-10 (or Augmented Class E or better cabling as to be specified in ISO/IEC 11801-Ed.2.1);
- g) Any other item as deemed necessary during the development.

3.2 Existing Practice and the Need for a Standard

Today deployments of Fibre Channel Fabrics are usually based on optical cabling for external connectivity (i.e., for connectivity outside a storage enclosure). However optical components are perceived expensive by several customers. To improve the Fibre Channel competitiveness in low cost environments a new physical level that enable Fibre Channel to leverage and use the existing Category 5e and 6 copper cabling technology is required. A standard is needed to define this new physical level.

3.3 Implementation Impacts of the Proposed Standard

3.3.1 Development Costs

This standard will be developed through the voluntary and cooperative efforts of T11 Task Committee members. No significant development costs are anticipated.

3.3.2 Impact on Existing or Potential Markets

The proposed standard will provide an upward growth path that complements and enhances existing supplier products and support schemes. The proposed standard will result in expanded applications for existing and conceived products in both the channel and network markets.

3.3.3 Costs and Methods for Conformity Assessment

The committee will consider the results of testing provided to the committee through the voluntary efforts of the participants in T11. With this method all costs are borne by the organizations of the various participants and have for the most part been mainly an adjunct of their normal development costs.

3.3.4 Return on Investment

The return on investment for this development is expected to be high, due to the commonality of effort directed to a singular method of providing the services covered by the proposed standard.

3.4 Legal Considerations

3.4.1 Patent Assertions

Calls will be made to identify assertions of patent rights in accordance with the relevant INCITS, ANSI and ISO/IEC policies and procedures. T11 is aware of patent assertions that have been made and letters indicating compliance with INCITS policies have been received.

3.4.2 Dissemination of the Standard or Technical Report

Drafts of this document will be disseminated electronically. Dissemination of the final standard will be restricted as the document becomes the property of INCITS, ANSI, or ISO/IEC.

4 Related Standards Activities

4.1 Existing Standards and Technical Reports

ANSI/TIA/EIA-568-B, *Commercial Building Telecommunications Cabling Standard*

ANSI/TIA/EIA-568-B.2-1, *Transmission Performance Specifications for 4-Pair 100 Ohm Category 6 Cabling*

ISO/IEC 11801:2002, *Generic cabling for customer premises*

IEEE Std 802.3-2005, *Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ANSI INCITS 332-1999, *Fibre Channel - Arbitrated Loop (FC-AL-2)*

ANSI INCITS 373-2003, *Fibre Channel Framing and Signaling Interface (FC-FS)*

ANSI INCITS 352-2002, *Fibre Channel Physical Interfaces (FC-PI)*

ANSI INCITS 404-2005, *Fibre Channel Physical Interfaces - 2 (FC-PI-2)*

IEEE Std 1394, *High Performance Serial Bus*

4.2 Related Standards Activity

Project 1625-D, *Fibre Channel - Physical Interfaces - 3 (FC-PI-3)*

Project 1647-D, *Fibre Channel - Link Equalization Enhanced Variants (FC-PI-4)*

ANSI INCITS xxx-200x, *Fibre Channel - Framing and Signaling - 2 (FC-FS-2)*, T11/Project 1619-D

ANSI/TIA/EIA-568-B.2-10, *Transmission Performance Specifications for 4-Pair 100 Ohm Augmented Category 6 Cabling*

ISO/IEC 11801-Ed.2.1, *Generic cabling for customer premises*

ANSI/TIA-TSB-155, *Additional guidelines for 4-pair 100 Ω Category 6 Cabling for 10GBASE-T Applications*

ISO/IEC TR-24750, *Guidelines for the support of 10GBASE-T over Copper Balanced Pairs of Class E and Class F as per ISO/IEC 11801:2002*

4.3 Recommendations for Close Liaison

IEEE P802.3an (10GBASE-T).

5 Units of Measurement used in the Standard

Système Internationale d'Unités (International System of Units).